

WEST[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show 8 Numbers](#)[Edit 8 Numbers](#)[Preferences](#)**Search Results -**

Terms	Documents
13 same activat\$	17

Database:

US Patents Full-Text Database
US Pre-Grant Publication Full-Text Database
JPO Abstracts Database
EPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Refine Search:

13 same activat\$

[Clear](#)**Search History****Today's Date: 9/19/2001**

<u>DB Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
USPT	13 same activat\$	17	<u>L5</u>
USPT	13 same activator	0	<u>L4</u>
USPT	12 same deposit\$	313	<u>L3</u>
USPT	11 same array	1801	<u>L2</u>
USPT	ink near0 jet near0 print\$	13118	<u>L1</u>

WEST☐ **Generate Collection**

L5: Entry 10 of 17

File: USPT

Jul 6, 1999

DOCUMENT-IDENTIFIER: US 5919523 A

TITLE: Derivatization of solid supports and methods for oligomer synthesis

DEPR:

The "spotting" methods of preparing compounds and libraries of the present invention can be implemented in much the same manner as the flow channel methods. For example, a monomer A can be delivered to and coupled with a first group of reaction regions which have been appropriately activated. Thereafter, a monomer B can be delivered to and reacted with a second group of activated reaction regions. Unlike the flow channel embodiments described above, reactants are delivered by directly depositing (rather than flowing) relatively small quantities of them in selected regions. In some steps, of course, the entire substrate surface can be sprayed or otherwise coated with a solution. In preferred embodiments, a dispenser moves from region to region, depositing only as much monomer as necessary at each stop. Typical dispensers include a micropipette to deliver the monomer solution to the substrate and a robotic system to control the position of the micropipette with respect to the substrate, or an ink-jet printer. In other embodiments, the dispenser includes a series of tubes, a manifold, an array of pipettes, or the like so that various reagents can be delivered to the reaction regions simultaneously.

FILE 'HOME' ENTERED AT 11:34:29 ON 19 SEP 2001)

FILE 'MEDLINE, BIOSIS, CAPLUS, EMBASE' ENTERED AT 11:34:44 ON 19 SEP 2001

L1	7697 S INK(W)JET(W)PRINT?
L2	48 S L1 (P)ARRAY
L3	174 S L1(P)DEPOSIT?
L4	3 S L3 (P)ACTIVAT?